



Learning: CAST

Child ADHD Screening Tool

What is it?

CAST is a guide to aid teachers in identifying specific children who may be struggling in the classroom and/or socially with other children. It is not a definitive diagnostic tool but the first stage in determining the level of need of specific students who may be having difficulties due to inattention, hyperactivity and/or impulsivity, which are the core symptoms of ADHD (Attention Deficit Hyperactivity Disorder).

Who is it by?

It has been developed by Fintan O'Regan, SEN (Special Educational Needs) Advisor for Surrey, Dr Somnath Banerjee, Associate Specialist in Community Paediatrics and a multi-disciplinary group of specialists working in the area of ADHD, including an Educational Psychologist, a SENCO (Special Educational Needs Coordinator), an ADHD Specialist Nurse, and a Mental Health Practitioner. The project was initiated and funded by Takeda Pharmaceuticals as part of an educational, awareness programme in Primary schools on ADHD. The characteristics of ADHD included in CAST highlight a number of issues that certain children may have in school. They have been adapted from the Diagnostic and Statistical Manual of Mental Disorders, published by the American Psychiatric Association, the World Health Organisation International Classification of Diseases (ICD 10) and the National Institute for Health and Care Excellence (NICE) guidelines on ADHD.

How does it work?

As a teacher you may wish to complete this questionnaire if you have identified a child in your class who is struggling in the classroom or with his/her peers or for whom your normal teaching strategies do not appear to be working.

What happens next?

If a child scores a high level of A and Bs, it does not mean they have ADHD, as this is a screening guide not a diagnosis tool.

CAST can be seen as the first stage of the referral mechanism for the school SENCO to organise a full diagnostic assessment if needed. The classroom teacher may also wish to implement some key strategies for proactive management of children with ADHD symptoms to see if they help.

Child ADHD Screening Tool

Scoring:

- If a child scores twelve or more A and/ or Bs then further assessment should be undertaken
- If a child scores between six and eleven A and/or Bs then further assessment should be strongly considered
- If a child scores less than six then further assessment may not be needed

		Name		D.O.B.	Year Group	
Often Occasionally	Never	Please rate each item accordingly in terms of how much it has been a problem in the last month. If never, tick D, if occasionally, tick C, if often, tick B and if frequently, tick A. Please respond to each issue				
	D	Please tick	oriany, dore o, ii orion, d	on Dana i i roquontiy, tion / i. i		
			o detail and/or n	nakes careless mistal	kes in written tasks	
		2. Has difficulty in sustaining attention during tasks or activities				
		3. Does not appear to focus or listen when spoken to directly				
		4. Fails to finish tasks and activities in the classroom				
		5. Has difficulty with organizing skills both self and tasks and activities				
		6. Appears unable to complete tasks that require sustained mental effort				
		7. Often loses pencils, pens or books				
		8. Appears to be very easily distracted				
		9. Is far more forgetful in comparison to peers				
		10. Often fidgets with hands and/or rocks on chair when seated				
		11. May often leave seat in the classroom without permission				
	12	2. Runs and/or climbs excessively in comparison to peers when not seated				
		13. Has difficulty in participating quietly in leisure activities				
		14. Appears to always be "on the go" or often acts as if "driven by a motor"				
		5. Often shouts out answers before questions have been completed				
	16	6. Has great difficulties in waiting turn in comparison to peers				
	17.	17. Interrupts others (e.g. often butts into conversations or games)				
	18	. May talk excess	sively in compari	son to peers		
cademic	Per	formance				
		Torritation	Noti			
Reading level			Nau	onal Average		
Vriting level			Nati	onal Average		
1aths level			Nati	onal Average		

Reference

i. American Psychiatric Association. Diagnostic and Statistical Manual of Psychiatric Disorders DSM-IV-TR (2009)
 ii. The WHO ICD-10 Classification of Mental and Behavioural Disorders
 iii. National Institute for Clinical Excellence. Full Guidance – Attention deficit hyperactivity disorder: Diagnosis and management of ADHD in children, young people and adults, 14 March 2018.